HTML –
Tag

- The HTML element <br> inserts the **single line break**.
- The <br> tag doesn't have an **end tag** because it is an **empty tag**.
- It also supports **Global** and **Event** attributes.
- Break tag belongs to **Flow content** and **Phrasing content category**.

Syntax for <br> tag:

Content text
 here......

Sample coding for
 Tag in HTML:

```
<!DOCTYPE html>
<html>
    <body>
        <p> Welcome to Wikitechy<br>
            It is easy learning portal<br>
            let's discuss about current technology here
        </p>
    </body>
</html>
```

Code Explanation for
 Tag:

```html
<!DOCTYPE html>
<html>
    <body>
        <p> Welcome to Wikitechy<br>              1
         It is easy learning portal<br>
        lets discuss about current technology here
        </p>
    </body>
</html>
```

1.
 tag defined here will have a single line break in the text line.

Output for
 Tag:

```
break.htm        ×

←  →  C  ⓘ file:///D:/wikitechy/Wikitechy%20HTML%20Final%20documts/HTML%: ☆   @  ◎  🐿  ABP  ⋮

Welcome to Wikitechy
It is easy learning portal          →  1
lets discuss about current technology here
```

1. Text line "**Welcome to Wikitechy**" is shown here with the line break.

Browser support for <br> tag:

Browser	Language Attribute
Chrome	Yes
Internet explorer / Edge	Yes
Firefox	Yes
Safari	Yes
Opera	Yes

Tips and Notes :

- The <br> tag is also used for writing addresses or poems.
- It has a line break not to separate the paragraph.