

 – DELETE TAG IN HTML

- The tag is used to define the deleted text.
- Delete tag is markup updates and modifications in a document.
- The tag supports both **Global Attributes** and **Event attributes**.
- tag belongs to **Flow content** and **Phrasing content Category**.

Syntax for tag in HTML:

```
<del>Content here...</del>
```

Sample coding for tag in HTML:

```
<!DOCTYPE html>  
<html>  
  <body>  
    <p>Learn Everything Easily in Wikitechy  
    <del>.com</del>  
    </p>  
  </body>  
</html>
```



Code Explanation for tag in HTML:

```
<!DOCTYPE html>
<html>
  <body>
    <p>Learn Everything Easily in Wikitechy
    1 ← <del>.com</del>
    </p>
  </body>
</html>
```

1. Here **** tag is used to strike the text which is given inside the delete tag.

Output of tag in HTML:



1. Here the output displays the text **".com"** in strikeout which is said to be deleted text.

Attributes of tag in HTML:

Attribute	Value	HTML 4	HTML 5	Description
cite	URL	Yes	Yes	Denotes a URL to a document that explains the reason why the text was deleted
datetime	YYYY-MM-DDThh:mm:ssTZD	Yes	Yes	Denotes the date and time when the text was deleted.

Browser support for tag in HTML:

Browser	Language attribute
Chrome	Yes
Internet explorer / Edge	Yes
Firefox	Yes
Safari	Yes
Opera	Yes