## <dt> - DEFINITION TERM TAG IN HTML WITH EXAMPLE

- <dt> tag used to describe or define the terms in the <dl> tag.

- <dt> is child element of <dl>.

- <dt> tag used with the combination of <dl> and <dd> tags.

- <dt> tag supports **Global Attributes and Event Attributes**.

### Syntax for <dt> tag:

```
<dl><dt>Term Name</dt></dl>
```

### Sample coding for <dt> tag:

```
<!DOCTYPE html>
  <html>
    <head>
        <title>Wikitechy dt tag</title>
    </head>
    <body>
        <dl>
            <dt>HTML</dt>
            <dd>A HTML Wikitechy Tutorials for learners.</dd>
            <dt>CSS</dt>
            <dd>A CSS Wikitechy Tutorials for learners.</dd>
        </dl>
     </body>
  </html>
```

## Code Explanation for <dt>tag:

```
<!DOCTYPE html>
<html>
  <head>
    <title>Wikitechy dt tag</title>
  </head>
  <body>
    <dl>
      <dt>HTML</dt>
      <dd>A HTML Wikitechy Tutorials for learners.</dd>
      <dt>CSS</dt>
      <dd>A CSS Wikitechy Tutorials for learners.</dd>
    </dl>
  </body>
</html>
```

1. Opening tag of definition term <dt> tag.

2. Closing tag of definition term <dt> tag.

## Output of <dt>tag:



1. The output shows the Definition term as HTML.

2. Here the output displays the definition term as a CSS.

## Browser Support for <dt> tag:

| Browser | Language attribute |
|---|---|
| Chrome | Yes |
| Internet explorer / Edge | Yes |
| Firefox | Yes |
| Safari | Yes |
| Opera | Yes |