

HTML – Tag

- tag is defined as the list of the items.
- Mostly tag is used in <ordered list>, <unordered list>, <menu list>.
- It has two attributes they are **value** and **type**.
- Value is said to be number and type has **1, a, A, I, i, disc, square, circle**.
- It supports Global and Event Attributes.

Syntax for tag:

```
<li> list item...</li>
```

Sample coding for Tag in HTML:

```
<!DOCTYPE html>  
<html>  
  <body>  
    <h3> List of Wikitechy Tutorials</h3>  
    <ul type="disc">  
      <li>WIKITECHY ANGULAR JS</li>  
      <li>WIKITECHY HTML</li>  
      <li>WIKITECHY CSS</li>  
    </ul>  
  </body>  
</html>
```




Code Explanation for Tag:

```
<!DOCTYPE html>
<html>
  <body>
    <h3> List of Wikitechy Tutorials</h3>
    <ul type="disc">
      1 ← <li>WIKITECHY ANGULAR JS</li>
        <li>WIKITECHY HTML</li>
        <li>WIKITECHY CSS</li>
    </ul>
  </body>
</html>
```

1. tag is given for the content that will be displayed in list

Output for Tag:



1. Here the output shows the content in list.

Attributes of tag:

Attribute	Value	Description
type	1	It is not supported in HTML5. It specifies the different kind of bullet points.
	A	
	a	
	I	
	i	
	Disc,square,circle	
value	number	Specify the value of the list item.

Browsers support in tag:

Browser	Language Attribute
Chrome	Yes
Internet explorer / Edge	Yes
Firefox	Yes
Safari	Yes
Opera	Yes

