 TAG IN HTML

- The **** tag is used to define the important text. That is displayed in bold.
- tag is a phrase tag.
- The strong tag will also support both **Global Attribute** and **Event attribute**.

Syntax for tag:

content

Differences Between HTML 4.01 and HTML5 for <strong> tag:

HTML 4.01

- HTML4 the **<strong> tag** is used to define **strong emphasized texts**.

HTML5

- HTML5 the **<strong> tag** defines the important text.

Sample coding for <strong> tag:

```
<!DOCTYPE html>
<html>
  <head>
    <title>Wikitechy strong tag</title>
  </head>
  <body>
    <h2>HTML strong tag with example.</h2>
    <p> Wikitechy <strong> Step-By-Step </strong>HTML tutorial.</p>
  </body>
</html>
```

Code Explanation for <strong> tag:

```html
<!DOCTYPE html>
<html>
  <head>
    <title>Wikitechy strong tag</title>
  </head>
  <body>
    <h2>HTML strong tag with example.</h2>
    <p> Wikitechy <strong> Step-By-Step </strong>HTML tutorial.
    </p>
  </body>
</html>
```
1

1. **<strong>** tag is used to highlight the key points or important content.

Sample Output for <strong> tag:

1. "Wikitechy **Step-By-Step** HTML tutorial." Will be displayed the word "**Step-By-Step**" will be displayed in stronger text.

Browser Support for <strong> tag:

Browser	Language attribute
Chrome	Yes
Internet explorer / Edge	Yes
Firefox	Yes
Safari	Yes
Opera	Yes

Tips and Notes

- In CSS by using the <strong> tag we are able to get the richer effect.