

<track> Tag IN HTML

- <track> tag is used for defining subtitles, captions and other content for audio and video tags.
- <track> tag is particularly specifying text track for media tags.
- It supports Global and event attributes.

Syntax for <track> tag:

```
<track src="source file" >
```

Difference between HTML4.01 and HTML 5 for <track> tag:

HTML 4.01:

- HTML4 does not supports <track> tag.

HTML 5:

- The track tag is new to HTML5.



Sample coding for <track> tag:

```
<!Doctype html>
<html>
  <head>
    <title> Wikitechy track tag </title>
  </head>
  <body>
    <h2>HTML track tag with example</h2>
    <video width="320" height="240" controls>
      <source src="hibiscus.mp4" type="video/mp4">
      <track src="subtitles.vtt" kind="subtitles" srclang="en" label="english">
    </video>
  </body>
</html>
```



Code Explanation for <track> tag:

```
<!DOCTYPE html>
<html>
  <head>
    <title> Wikitechy track tag</title>
  </head>
  <body>
    <h2>HTML track tag with example</h2>
    1 ← <video width="320" height="240" controls>
    2 ← <source src="hibiscus.mp4" type="video/mp4">
    3 ← <track src="subtitles.vtt" kind="subtitles"
           srclang="en" label="english">
           4
           5
    </video>
    6
  </body>
  </html>
    7
```

1. **<video>** tag will display the movie clips or any other video file.
2. **<source>** tag is given for the file path of the video file.
3. **<track>** tag is defined the subtitles for the video file.
4. **"src"** attribute used to define the location of the track file.
5. **"kind"** attribute is used to specifies the file as **"subtitles"**.
6. The **"srclang"** attribute specifies the language of the track text data as **"en"**.
7. The **"label"** attribute used to specify the title of the track file as **"english"**.

Browser Support for <track> tag:

Browser	Support
Chrome	18.0
Internet explorer	10.0
Firefox	31.0
Safari	6.0
Opera	15.0

