

HTML – Tag

- The tag is defined as unordered list.
- By using tag we can create bulleted list which is said to be unordered list.
- tag has two important attributes they are compact and type.
- tag supports the **Global and Event attributes**.
- tag belongs to **Flow content**.

Syntax for tag:

```
<ul> unordered list is here.....</ul>
```

Sample coding for Tag in HTML:

```
<!DOCTYPE html>
<html>
  <body>
    <h4>An Unordered List of technology</h4>
    <ul>
      <li>wikitechy PHP</li>
      <li>wikitechy HTML</li>
      <li>wikitechy CSS</li>
    </ul>
  </body>
</html>
```

Code Explanation for Tag:



```
<!DOCTYPE html>
<html>
  <body>
    <h4>An Unordered List of technology</h4>
    <ul> → 1
      <li> wikitechy PHP</li>
      <li>wikitechy HTML</li>
      <li>wikitechy CSS</li>
    </ul>
  </body>
</html>
```

1. The unordered list of the content is given within tag.

Output for Tag:





1. The content of unordered list is displayed in the output.

Attribute	Value	HTML4	HTML5	Description
compact	compact	Yes	No	The list should render smaller than normal.
type	disc square circle	Yes	No	Used to specify which kind of marker to use in the list.

Browser support for tag:



Browser	Language Attribute
Chrome	Yes
Internet explorer / Edge	Yes
Firefox	Yes
Safari	Yes
Opera	Yes

