

action ATTRIBUTE IN HTML

- The action attribute is used to specifies the URL to send the form data when the form is submitted.

Syntax for action attribute:

```
<form action="URL">
```

Applies To:

Element	Attribute
<form>	action

action Attribute Value :

Value	Description
URL	URL denotes where to send the form-data when the form is submitted.

Sample coding for action attribute in :


```
<!DOCTYPE html>
<html>
  <head><title>Wikitechy action attribute</title></head>
  <body>
    <form action="submit.html">
      Technology: <input type="text" name="technology"> <br>
      Tutorial : <input type="text" name="tutorial"> <br>
      <input type="submit" value="Submit">
    </form>
  </body>
</html>
```

Code Explanation for action attribute :

```
<!DOCTYPE html>
<html>
  <head>
    <title>Wikitechy action attribute</title>
  </head>
  <body>
    <form action="submit.html">
      Technology: <input type="text" name="technology"><br>
      Tutorial : <input type="text" name="tutorial"><br>
      <input type="submit" value="Submit">
    </form>
  </body>
</html>
```

1. **<form>** element is used to create a data form.
2. The **action** attribute specifies the URL as "**submit.html**" to send the submitted form-data.
3. The "submit" button used to submit the form data.

Output for action attribute in HTML:



1. When user click the Submit button the form data will be submitted to "submit.html" page.



1. In "**submit.html**" The submitted values will be displayed in the URL.

Browser Support for action attribute in HTML:

Browser	Support
Chrome	Yes
Internet explorer / Edge	Yes
Firefox	Yes
Safari	Yes
Opera	Yes

