

## http-equiv ATTRIBUTE IN HTML

- The http-equiv attribute is used to specify the HTTP header for the information of the content attribute.
- The http-equiv attribute can be used to simulate HTTP response header.

### Syntax for http-equiv attribute :

```
<meta http-equiv="value ">
```

### Applies to :

Element	Attribute
<meta>	http-equiv

### Attributes values for http-equiv attribute:

Value	Description
content-type	Specifies the character encoding for the document.
default-style	Specified the preferred style sheet to use.
refresh	Defines a time interval for the document to refresh itself.

## Sample coding for http-equiv attribute :

```
<!DOCTYPE html>
<html>
  <head>
    <title>Wikitechy http-equiv attribute</title>
    <meta http-equiv="refresh" content="30">
  </head>
  <body>
    <p> Welcome to Wikitechy!</p>
  </body>
</html>
```


## Code Explanation for http-equiv attribute:

```
<!DOCTYPE html>
<html>
  <head>
    <title>Wikitechy http-equiv attribute</title>
    <meta http-equiv="refresh" content="30">
  </head>
  <body>
    <p> Welcome to Wikitechy!</p>
  </body>
</html>
```



1. http-equiv attribute used provide HTTP header information for content attribute.
2. refresh value is used to refresh the page.

### Sample Output :



1. The page automatically refresh every 30 seconds.

### Browser Support for http-equiv attribute in HTML :

Browser	Support
Chrome	Yes
Internet explorer / Edge	Yes
Firefox	Yes
Safari	Yes
Opera	Yes