

novalidate Attribute in HTML

- The novalidate is a Boolean attribute.
- It specifies the form data should not be validated when submitted.

Syntax for novalidate Attribute in HTML:

```
<form name= file content novalidate> </form>
```

Sample coding for novalidate Attribute in HTML:

```
<!DOCTYPE html>  
<html>  
<body>  
  <form action="novalidate.htm" novalidate>  
    E-mail: <input type="email" name="user email">  
    <input type="submit">  
  </form>  
  <p><strong>Note:</strong> The novalidate attribute  
  of the form tag is not supported in  
  Internet Explorer 9 and earlier versions, or in Safari.</p>  
</body>  
</html>
```

Code Explanation for novalidate Attribute in HTML:

```
<!DOCTYPE html>
<html>
<body>

  <form action="novalidate.htm" novalidate>
  E-mail: <input type="email" name="user_email">
  <input type="submit">
  </form>

  <p><strong>Note:</strong> The novalidate attribute
  of the form tag is not supported in
  Internet Explorer 9 and earlier versions, or in Safari.</p>

</body>
</html>
```

1. Here the novalidate attribute is given within the form tag for the data which should not be validate and submitted.

Browser Support for novalidate Attribute in HTML:

Browser	Language attribute
Chrome (10.0)	Yes
Internet explorer / Edge(10.0)	Yes
Firefox(4.0)	Yes
Safari	NO
Opera(10.6)	Yes